

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 09-053954
(43)Date of publication of application : 25.02.1997

(51)Int. CI. G01D 4/00
G01R 11/00
G01R 11/56
G01R 22/00


(21)Application number : 07-224801 (71)Applicant : DENKOUSHIYA:KK
ARUFUONITSUKU DENSHI:KK
SATOU MASAJI
TONAMI DENKI KOGYO KK
(22)Date of filing : 09.08.1995 (72)Inventor : MASUDA HISAHIRO
HARADA HIROYUKI

(54) SAVED CHARGE INDICATOR

(57)Abstract:

PROBLEM TO BE SOLVED: To obtain a saved charge indicator in which the saved charge can be recognized and managed easily on the personal level in each home, factory, office, etc., by a constitution wherein the charges of electricity, gas, city water, oil, etc., can be read out directly and the difference of actual charge from a saving target charge can be recognized easily, and in which the consciousness of energy saving can be enhanced individually to contribute greatly to energy saving and actual profit of saving can be attained.

SOLUTION: Current data detected at a detecting section 3 is picked up every second by a measuring unit 2 and converted at an A/D converting section into a digital signal. Average value is then calculated every second and delivered to a measuring unit 1. An amount-of-money data processing section in the measuring unit 1 converts the A/D converted data into an amount of money data which is preserved in a data



preserving section. A saving target amount of money inputted from a data input section is then compared with the preserved amount of money data to determine a saved amount of money. The saved amount of money and the saving target amount of money are processed at a data display processing section and indicated by a liquid crystal display at a charge display section 13.

LEGAL STATUS

[Date of request for examination]	29. 08. 1995
[Date of sending the examiner's decision of rejection]	
[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]	
[Date of final disposal for application]	
[Patent number]	2784354
[Date of registration]	29. 05. 1998
[Number of appeal against examiner's decision of rejection]	
[Date of requesting appeal against examiner's decision of rejection]	
[Date of extinction of right]	29. 05. 2001

Copyright (C); 1998, 2003 Japan Patent Office

